


Qlamp LED Retrofit Kit for Low Bay Canopy

Q-CSD-001-KT


DESCRIPTION:

- Beam angle:120 degrees.
- Aluminum fins heat sinks is good for heat dissipation.
- Instant start, NO flickering, NO humming.
- Green, energy saving, long and reliable life of 50,000 hours.
- No RF interference, No IR/UV radiation, no mercury pollution.
- Wide colour availability in degrees Kelvin(K) 2700-6700K.
- Streamline exterior design, beautiful appearance.
- Environment friendly, energy saving (70~80%).
- Special circuit design, each LED work separately, avoiding the single broken LED influence problem.



TECHNICAL SPECIFICATION

Model No.	Q-CSD-001-KT			
Rated Power	40W	60W	80W	100W
Input Voltage	MeanWell Driver, 100-277VAC / 50-60Hz			
Certificate	CE ROHS			
Beam Angle	120°			
Light Source/Count	140pcs 5630 LED	240pcs 5630 LED	240pcs 5630 LED	340pcs 5630 LED
Lamp Base	2 PIN Wires			
LED Luminous Efficiency	>100lm/w			
Luminous Flux	4000 lm ±10%	6000 lm ±10%	8000 lm ±10%	10000 lm ±10%
Color Temperature Standard	WW (2700~3500K)			
	NW (4000~5000K)			
	CW (5500~6700K)			
Color Rendering Index(CRI)	Ra>80			
LED Emitter Life	50,000hours			
Replacement	HPS 120W	HPS 180W	HPS 250W	HPS 300W
Operating Temperature	-40°C~45°C			
The Dimensions	295*275*38mm			
N.W	0.8kg			
Applications	Widely used in canopy, warehouse, garage, custom applications, etc...			



POWERSAVE SOLUTIONS LTD

HEAD OFFICE: Unit 7, The Sandon Estate, Sandon Way, Liverpool L5, 9YN

LONDON OFFICE: 17 Highgate Hill, Hill House - 9th Floor, N19 5NA

e-mail: info@powersavesolutions.co.uk facebook.com/powersavesolutions www.powersavesolutions.co.uk